

PPE for Obstetric Patients

| | | Siellic Falleill | .0 | |
|---|---|---|---|------------------|
| Scenario | Patient PPE | Room Type | HCW PPE for Delivery | Mask/Goggle Type |
| Patient with NO SYMPTOMS, Vaginal Delivery Second Stage (pushing) or C-Section | None | Regular Room | Gloves Level 3 mask Face shield or goggles. | OR |
| Laboring patient, Antepartum, or Postpartum COVID positive patients, PUIs, or those being evaluated for PUI status NOT receiving aerosol generating procedures ■ Aerosolizing procedures include, but are not limited to intubation, bronschoscopy, BIPAP, CPAP, nebulizer, O2 > 5L/min, nitrous oxide | Upon entering an isolation room with appropriate signage on a door, a patient may remove their mask as long as provider(s) in the room have full airborne precautions | Droplet and contact precautions (put sign on door) Negative pressure room | CONTACT/DROPLET Level 3 mask or N95 Gloves Goggles or Face shield | OR OR |
| Vaginal Delivery 2 nd Stage (pushing) COVID positive patients, PUIs, or those being evaluated for PUI status NOT receiving aerosol generating procedures ■ Aerosolizing procedures include, but are not limited to intubation, bronschoscopy, BIPAP, CPAP nebulizer, O2 > 5L/min, nitrous oxide | Level 1 Mask Upon entering an isolation room with appropriate signage on a door, a patient may remove their mask as long as provider(s) in the room have full airborne precautions | Droplet and contact precautions (put sign on door) Negative pressure room | AIRBORNE PRECAUTIONS N95 mask Gloves Goggles or Face shield | OR |
| Cesarean Delivery COVID positive patients, PUIs, or those being evaluated for PUI status receiving aerosol generating procedures ■ Aerosolizing procedures include, but are not limited to intubation, bronschoscopy, BIPAP, CPAP nebulizer, O2 > 5L/min, nitrous oxide | Level 1 Mask Upon entering an isolation room with appropriate signage on a door, a patient may remove their mask as long as provider(s) in the room have full airborne precautions | Droplet and contact precautions (put sign on door) Negative pressure room | AIRBORNE PRECAUTIONS N95 mask Gloves Goggles or Face shield | OR |